RAW SEQUENCE LISTING
PATENT APPLICATION: US/09/747,029A

DATE: 03/05/2002
TIME: 09:56:03

Input Set : A:\INNS031.ST25.txt
Output Set: N:\CRF3\03052002\I747029A.raw

ENTERED

```
 3 <110> APPLICANT: Union, Ann
 4        Moereels, Henri
 5        Meheus, Lydie
 7 <120> TITLE OF INVENTION: PEPTIDES DESIGNED FOR THE DIAGNOSIS AND TREATMENT OF
 8        RHEUMATOID ARTHRITIS
10 <130> FILE REFERENCE: 11362.0031NPUS00 INNS:031
12 <140> CURRENT APPLICATION NUMBER: US 09/747,029A
13 <141> CURRENT FILING DATE: 2000-12-21
15 <150> PRIOR APPLICATION NUMBER: EP 00870195.5
16 <151> PRIOR FILING DATE: 2000-09-08
18 <150> PRIOR APPLICATION NUMBER: EP 99870280.7
19 <151> PRIOR FILING DATE: 1999-12-21
21 <160> NUMBER OF SEQ ID NOS: 22
23 <170> SOFTWARE: PatentIn version 3.0
25 <210> SEQ ID NO: 1
26 <211> LENGTH: 18
27 <212> TYPE: PRT
28 <213> ORGANISM: Artificial Sequence
30 <220> FEATURE:
31 <223> OTHER INFORMATION: Synthetic Peptides
33 <220> FEATURE:
34 <221> NAME/KEY: MOD_RES
35 <222> LOCATION: (1)..(3)
36 <223> OTHER INFORMATION: Xaa represents Ser, Thr, Asp, Glu, Asn, Gln, His, Lys or Arg
38 <220> FEATURE:
39 <221> NAME/KEY: MOD_RES
40 <222> LOCATION: (4)..(4)
41 <223> OTHER INFORMATION: Xaa represents Ile, Leu, Val, Ala or Met
43 <220> FEATURE:
44 <221> NAME/KEY: MOD_RES
45 <222> LOCATION: (5)..(5)
46 <223> OTHER INFORMATION: Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe or
   Trp
48 <220> FEATURE:
49 <221> NAME/KEY: MOD_RES
50 <222> LOCATION: (6)..(6)
51 <223> OTHER INFORMATION: Xaa represents Gly
53 <220> FEATURE:
54 <221> NAME/KEY: MOD_RES
55 <222> LOCATION: (7)..(7)
56 <223> OTHER INFORMATION: Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe or
   Trp
58 <220> FEATURE:
59 <221> NAME/KEY: MOD_RES
```

60 <222> LOCATION: (8)..(8)

RAW SEQUENCE LISTING   DATE: 03/05/2002
PATENT APPLICATION: US/09/747,029A   TIME: 09:56:03

Input Set : A:\INNS031.ST25.txt
Output Set: N:\CRF3\03052002\I747029A.raw

```
 61 <223> OTHER INFORMATION: Xaa represents Pro or Gly
 63 <220> FEATURE:
 64 <221> NAME/KEY: MOD_RES
 65 <222> LOCATION: (10)..(10)
 66 <223> OTHER INFORMATION: Xaa represents Ser, Thr, Asp, Gly
 68 <220> FEATURE:
 69 <221> NAME/KEY: MOD_RES
 70 <222> LOCATION: (11)..(11)
 71 <223> OTHER INFORMATION: Xaa represents Citrulline, Gly, Ser or Thr
 73 <220> FEATURE:
 74 <221> NAME/KEY: MOD_RES
 75 <222> LOCATION: (12)..(12)
 76 <223> OTHER INFORMATION: Xaa represents Citrulline
 78 <220> FEATURE:
 79 <221> NAME/KEY: MOD_RES
 80 <222> LOCATION: (13)..(13)
 81 <223> OTHER INFORMATION: Xaa represents Gly
 83 <220> FEATURE:
 84 <221> NAME/KEY: MOD_RES
 85 <222> LOCATION: (14)..(14)
 86 <223> OTHER INFORMATION: Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe or
Trp
 88 <220> FEATURE:
 89 <221> NAME/KEY: MOD_RES
 90 <222> LOCATION: (15)..(15)
 91 <223> OTHER INFORMATION: Xaa represent Arg, Lys, His, Asp, Glu, Ser, Thr, Gln, Asn,
Tyr,
 92         Phe or Trp
 94 <220> FEATURE:
 95 <221> NAME/KEY: MOD_RES
 96 <222> LOCATION: (17)..(17)
 97 <223> OTHER INFORMATION: Xaa represents Gly
 99 <220> FEATURE:
100 <221> NAME/KEY: MOD_RES
101 <222> LOCATION: (18)..(18)
102 <223> OTHER INFORMATION: Xaa represents Tyr, His, Lys, Arg, Asp, Glu, Ser, Thr, Gln,
Asn,
103         Phe, Trp
105 <400> SEQUENCE: 1
106 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys
107 1               5                   10                  15
109 Xaa Xaa
112 <210> SEQ ID NO: 2
113 <211> LENGTH: 15
114 <212> TYPE: PRT
115 <213> ORGANISM: Artificial Sequence
117 <220> FEATURE:
118 <223> OTHER INFORMATION: Synthetic Peptides
119 <220> FEATURE:
120 <221> NAME/KEY: MOD_RES
121 <222> LOCATION: (1)..(1)
122 <223> OTHER INFORMATION: Xaa represents Ile, Leu, Val, Ala or Met
```

```
                    RAW SEQUENCE LISTING              DATE: 03/05/2002
                    PATENT APPLICATION:  US/09/747,029A    TIME: 09:56:03

                    Input Set : A:\INNS031.ST25.txt
                    Output Set: N:\CRF3\03052002\I747029A.raw
```

W--> 124 <220> FEATURE:
    125 <221> NAME/KEY: MOD_RES
    126 <222> LOCATION: (2)..(2)
    127 <223> OTHER INFORMATION: Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe
or Trp
W--> 129 <220> FEATURE:
    130 <221> NAME/KEY: MOD_RES
    131 <222> LOCATION: (3)..(3)
    132 <223> OTHER INFORMATION: Xaa represents Gly
W--> 134 <220> FEATURE:
    135 <221> NAME/KEY: MOD_RES
    136 <222> LOCATION: (4)..(4)
    137 <223> OTHER INFORMATION: Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe
or Trp
W--> 139 <220> FEATURE:
    140 <221> NAME/KEY: MOD_RES
    141 <222> LOCATION: (5)..(5)
    142 <223> OTHER INFORMATION: Xaa represents Pro or Gly
W--> 144 <220> FEATURE:
    145 <221> NAME/KEY: MOD_RES
    146 <222> LOCATION: (7)..(7)
    147 <223> OTHER INFORMATION: Xaa represents Ser, Thr, Asp or Gly
W--> 149 <220> FEATURE:
    150 <221> NAME/KEY: MOD_RES
    151 <222> LOCATION: (8)..(8)
    152 <223> OTHER INFORMATION: Xaa represents Citrulline, Gly, Ser or Thr
W--> 154 <220> FEATURE:
    155 <221> NAME/KEY: MOD_RES
    156 <222> LOCATION: (9)..(9)
    157 <223> OTHER INFORMATION: Xaa represents Citrulline
W--> 159 <220> FEATURE:
    160 <221> NAME/KEY: MOD_RES
    161 <222> LOCATION: (10)..(10)
    162 <223> OTHER INFORMATION: Xaa represents Gly
W--> 164 <220> FEATURE:
    165 <221> NAME/KEY: MOD_RES
    166 <222> LOCATION: (11)..(11)
    167 <223> OTHER INFORMATION: Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe
or Trp
W--> 169 <220> FEATURE:
    170 <221> NAME/KEY: MOD_RES
    171 <222> LOCATION: (12)..(12)
    172 <223> OTHER INFORMATION: Xaa represents Arg, Lys, His, Asp, Glu, Ser, Thr, Gln, Asn,
Tyr,
    173   Phe or Trp
W--> 175 <220> FEATURE:
    176 <221> NAME/KEY: MOD_RES
    177 <222> LOCATION: (14)..(14)
    178 <223> OTHER INFORMATION: Xaa represents Gly
W--> 180 <220> FEATURE:
    181 <221> NAME/KEY: MOD_RES
    182 <222> LOCATION: (15)..(15)
    183 <223> OTHER INFORMATION: Xaa represents Tyr, His, Lys, Arg, Asp, Glu, Ser, Thr, Gln,

Asn,

RAW SEQUENCE LISTING
PATENT APPLICATION: US/09/747,029A

DATE: 03/05/2002
TIME: 09:56:03

Input Set : A:\INNS031.ST25.txt
Output Set: N:\CRF3\03052002\I747029A.raw.

```
    184          Phe or Trp
    187  <400> SEQUENCE: 2
    189  Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa
    190  1               5                   10                  15
    192  <210> SEQ ID NO: 3
    193  <211> LENGTH: 14
    194  <212> TYPE: PRT
    195  <213> ORGANISM: Artificial Sequence
    197  <220> FEATURE:
    198  <223> OTHER INFORMATION: Synthetic Peptides
    200  <220> FEATURE:
    201  <221> NAME/KEY: MOD_RES
    202  <222> LOCATION: (1)..(1)
    203  <223> OTHER INFORMATION: Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe
or Trp
    205  <220> FEATURE:
    206  <221> NAME/KEY: MOD_RES
    207  <222> LOCATION: (2)..(2)
    208  <223> OTHER INFORMATION: Xaa represents Gly
    210  <220> FEATURE:
    211  <221> NAME/KEY: MOD_RES
    212  <222> LOCATION: (3)..(3)
    213  <223> OTHER INFORMATION: Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe
or Trp
    215  <220> FEATURE:
    216  <221> NAME/KEY: MOD_RES
    217  <222> LOCATION: (4)..(4)
    218  <223> OTHER INFORMATION: Xaa represents Pro or Gly
    220  <220> FEATURE:
    221  <221> NAME/KEY: MOD_RES
    222  <222> LOCATION: (6)..(6)
    223  <223> OTHER INFORMATION: Xaa represents Ser, Thr, Asp or Gly
    225  <220> FEATURE:
    226  <221> NAME/KEY: MOD_RES
    227  <222> LOCATION: (7)..(7)
    228  <223> OTHER INFORMATION: Xaa represents Citrulline, Gly, Ser or Thr
    230  <220> FEATURE:
    231  <221> NAME/KEY: MOD_RES
    232  <222> LOCATION: (8)..(8)
    233  <223> OTHER INFORMATION: Xaa represents Citrulline
    235  <220> FEATURE:
    236  <221> NAME/KEY: MOD_RES
    237  <222> LOCATION: (9)..(9)
    238  <223> OTHER INFORMATION: Xaa represents Gly
    240  <220> FEATURE:
    241  <221> NAME/KEY: MOD_RES
    242  <222> LOCATION: (10)..(10)
    243  <223> OTHER INFORMATION: Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe
or Trp
    246  <220> FEATURE:
    247  <221> NAME/KEY: MOD_RES
    248  <222> LOCATION: (11)..(11)
```

Input Set : A:\INNS031.ST25.txt
Output Set: N:\CRF3\03052002\I747029A.raw

```
   249 <223> OTHER INFORMATION: Xaa represents Arg, Lys, His, Asp, Glu, Ser, Thr, Gln, Asn,
Tyr,
   250       Phe or Trp
   252 <220> FEATURE:
   253 <221> NAME/KEY: MOD_RES
   254 <222> LOCATION: (13)..(13)
   255 <223> OTHER INFORMATION: Xaa represents Gly
   257 <220> FEATURE:
   258 <221> NAME/KEY: MOD_RES
   259 <222> LOCATION: (14)..(14)
   260 <223> OTHER INFORMATION: Xaa represents Tyr, His, Lys, Arg, Asp, Glu, Ser, Thr, Gln,
Asn,
   261       Phe or Trp
   264 <400> SEQUENCE: 3
   266 Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa
   267 1               5                   10
   269 <210> SEQ ID NO: 4
   270 <211> LENGTH: 18
   271 <212> TYPE: PRT
   272 <213> ORGANISM: Artificial Sequence
   274 <220> FEATURE:
   275 <223> OTHER INFORMATION: Synthetic Peptides
   277 <220> FEATURE:
   278 <221> NAME/KEY: MOD_RES
   279 <222> LOCATION: (1)..(1)
   280 <223> OTHER INFORMATION: Xaa represents Ser, Thr, Asp, Glu, Asn, Gln, His, Lys or Arg
   282 <220> FEATURE:
   283 <221> NAME/KEY: MOD_RES
   284 <222> LOCATION: (2)..(2)
   285 <223> OTHER INFORMATION: Xaa represents Ser, Thr, Asp, Glu, Asn, Gln, His, Lys or Arg
   287 <220> FEATURE:
   288 <221> NAME/KEY: MOD_RES
   289 <222> LOCATION: (3)..(3)
   290 <223> OTHER INFORMATION: Xaa represents Ser, Thr, Asp, Glu, Asn, Gln, His, Lys or Arg
   292 <220> FEATURE:
   293 <221> NAME/KEY: MOD_RES
   294 <222> LOCATION: (4)..(4)
   295 <223> OTHER INFORMATION: Xaa represents Ile, Leu, Val, Ala or Met
   297 <220> FEATURE:
   298 <221> NAME/KEY: MOD_RES
   299 <222> LOCATION: (5)..(5)
   300 <223> OTHER INFORMATION: Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe
or Trp
   302 <220> FEATURE:
   303 <221> NAME/KEY: MOD_RES
   304 <222> LOCATION: (6)..(6)
   305 <223> OTHER INFORMATION: Xaa represents Gly
   307 <220> FEATURE:
   308 <221> NAME/KEY: MOD_RES
   309 <222> LOCATION: (7)..(7)
   310 <223> OTHER INFORMATION: Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe
or Trp
   312 <220> FEATURE:
```

Use of n and/or Xaa has been detected in the Sequence Listing.
Review the Sequence Listing to insure a corresponding
explanation is presented in the <220> to <223> fields of
each sequence using n or Xaa.

VERIFICATION SUMMARY
PATENT APPLICATION: US/09/747,029A

DATE: 03/05/2002
TIME: 09:56:04

Input Set : A:\INNS031.ST25.txt
Output Set: N:\CRF3\03052002\I747029A.raw

```
L:106 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:109 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:119 M:283 W: Missing Blank Line separator, <220> field identifier
L:189 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2
L:266 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3
L:360 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4
L:363 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4
L:447 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5
L:521 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6
L:543 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7
L:563 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8
L:589 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9
L:615 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10
L:641 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11
L:667 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:693 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13
L:716 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14
L:739 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15
L:757 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16
L:776 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17
L:797 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18
L:815 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19
L:833 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:20
L:851 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21
L:869 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22
```